


## Type FDE



- Swirl diffuser for high volume flow rates
- For shops, foyers, hotel lobbies, etc., but also for comfort conditioning
- Side entry air connection
- For supply and extract air

## PRODUCT DESCRIPTION

Type FDE swirl diffusers as supply or extract air units are particularly suitable for comfort areas like office and sales rooms.

The swirling rotational and horizontal type of discharge of supply air ensures a high level of induction and a rapid reduction of jet air velocities and temperature differentials.

Swirl diffusers type FDE consist of the square face plate with continuous sealing band, fixed radially arranged air control blades and the rear frame. The supply air construction contains also a perforated plate mounted at the rear frame to optimise the air distribution. To obtain low sound power levels especially at high volume flow rates, the triangular shaped, graduated air control blades extend into the corners of the square diffuser.

The plenum box is supplied with side entry air connection spigot. Volume control damper and/or lip seal are available on request.

## TECHNOLOGY

Square

110 – 390 l/s

400 – 1,400 m<sup>3</sup>/h

235 – 824 cfm

600 and 625 mm

## TROX Austria GmbH

---



organizační složka  
Ďáblická 553/2  
182 00 Praha 8 - Střížkov  
Telefon +420 283 880 380  
Fax +420 286 881 870  
E-mail [trox@trox.cz](mailto:trox@trox.cz)

## Online-Services

---

TROX Akademie

---

Váš kontaktní partner

---

Online hlášení o závadě

---

## Service-Hotlines

---

Sekretariát

Tel.: +420 283 880 380 (volba 0)

Fax.: +420 286 881 870

Nabídkové oddělení

Tel.: +420 283 880 380 (volba 1)

Fax.: +420 286 881 870

Technické oddělení

Tel.: +420 283 880 380 (volba 2)

Fax.: +420 286 881 870

Sklad

Tel.: +420 283 880 380 (volba 4)

Fax.: +420 286 881 870

[Kontaky](#)